CONTENTS
Vol. 32, No. 1, January 1992

Buchholz, K. **1** Immobilized enzymes—kinetics, efficiency, and applications, *Chemie-Ingenieur-Technik* **61**, No. 8 (1989), Federal Republic of Germany.

Schubert, H. and Armbruster, H. **14** Principles of formation and stability of emulsions, *Chemie-Ingenieur-Technik* **61**, No. 9 (1989), Federal Republic of Germany.

Schügerl, K. and Degener, W. **29** Recovery of low-molecular-weight compounds from complex aqueous mixtures by extraction, *Chemie-Ingenieur-Technik* **61**, No. 10, (1989), Federal Republic of Germany.

Legile, P., Menard G., Laurent, C., Thomas, D., and Bernis, A. **41** Contribution to the study of an inverse three-phase fluidized bed operating countercurrently, *Entropie* **24**, No. 143/144 (1988), France.

Nacef, S., Wild, G., Laurent, A., and Kim, S.D. **51** Scale effects in gas-liquid-solid fluidization, *Entropie* **24**, Nos. 143/144 (1988), France.

Dennery, F.M., Fargue, D., and Truyol, A. **73** Contemporary thermodynamics, *Entropie* **26**, No. 153/154 (1990), France.

Nicolis, G. and Chanu, J. **82** Thermodynamics of complex systems, *Entropie* **26**, No. 153/154 (1990), France.

Palancar, M.C., Luis, M.A., Luis, P., and Aragón, J.M. **88** A technique for measuring thermal conductivity, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria* 85, January-April (1989), Spain.

Pilnar Aznar, M., Gracia-Gorria, F.A., and Corella, J. **95** Minimum and maximum velocities for fluidization for mixtures of agricultural and forest residues with a second fluidized solid. I. Preliminary data and results with sand-sawdust mixtures, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **84** (1988), Spain.

Pilnar Aznar, M., Gracia-Gorria, F.A., and Corella, J. **103** Minimum and maximum velocities for fluidization for mixtures of agricultural and forest residues with a second fluidized solid. II. Experimental results for different mixtures, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **84** (1988), Spain.

Katsuwa, Y. and Matsuyama, H. **114** An improved method of fault diagnosis of a batch process using a pattern recognition technique, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

Itaya, Y., Miyoshi, K., Maeda, S., and Hasatani, M. **123** Surface combustion of a premixed methane-air gas on a porous ceramic, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

CONTENTS
Vol. 32, No. 1, January 1992

Buchholz, K. **1** Immobilized enzymes—kinetics, efficiency, and applications, *Chemie-Ingenieur-Technik* **61**, No. 8 (1989), Federal Republic of Germany.

Schubert, H. and Armbruster, H. **14** Principles of formation and stability of emulsions, *Chemie-Ingenieur-Technik* **61**, No. 9 (1989), Federal Republic of Germany.

Schügerl, K. and Degener, W. **29** Recovery of low-molecular-weight compounds from complex aqueous mixtures by extraction, *Chemie-Ingenieur-Technik* **61**, No. 10, (1989), Federal Republic of Germany.

Legile, P., Menard G., Laurent, C., Thomas, D., and Bernis, A. **41** Contribution to the study of an inverse three-phase fluidized bed operating countercurrently, *Entropie* **24**, No. 143/144 (1988), France.

Nacef, S., Wild, G., Laurent, A., and Kim, S.D. **51** Scale effects in gas-liquid-solid fluidization, *Entropie* **24**, Nos. 143/144 (1988), France.

Dennery, F.M., Fargue, D., and Truyol, A. **73** Contemporary thermodynamics, *Entropie* **26**, No. 153/154 (1990), France.

Nicolis, G. and Chanu, J. **82** Thermodynamics of complex systems, *Entropie* **26**, No. 153/154 (1990), France.

Palancar, M.C., Luis, M.A., Luis, P., and Aragón, J.M. **88** A technique for measuring thermal conductivity, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria* 85, January-April (1989), Spain.

Pilnar Aznar, M., Gracia-Gorria, F.A., and Corella, J. **95** Minimum and maximum velocities for fluidization for mixtures of agricultural and forest residues with a second fluidized solid. I. Preliminary data and results with sand-sawdust mixtures, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **84** (1988), Spain.

Pilnar Aznar, M., Gracia-Gorria, F.A., and Corella, J. **103** Minimum and maximum velocities for fluidization for mixtures of agricultural and forest residues with a second fluidized solid. II. Experimental results for different mixtures, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **84** (1988), Spain.

Katsuwa, Y. and Matsuyama, H. **114** An improved method of fault diagnosis of a batch process using a pattern recognition technique, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

Itaya, Y., Miyoshi, K., Maeda, S., and Hasatani, M. **123** Surface combustion of a premixed methane-air gas on a porous ceramic, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

Nishio, M., Kaguei, S., and Wakao, N. **132** Parameters in a gas-solid fluidized-bed adsorber by concentration response-technique or at incipient fluidization, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

Shiraishi, F. **140** Substrate-concentration dependences of the apparent, maximum-reaction rate and Michaelis-Menten constant in immobilized enzyme reactions, *Kagaku Kogaku Ronbunshu* **16**, No. (1990), Japan.

Honda, K., Kawasaki, Y., and Munakata, T. **148** Fractionation of binary-vapor mixtures in a wetted-wall column, *Kagaku Kogaku Ronbunshu* **16**, No. 1 (1990), Japan.

Kitamura, M., Ikemoto, K., Kawamura, Y., and Nakai, T. **157** Effect of impurity of CR^{3+} on crystal-growth process of ammonium sulfate, *Kagaku Kogaku Ronbunshu* **16**, No. 2 (1990), Japan.

Toyohara, H. and Kawamura, Y. **164** Fluidization of a tapered fluidized-bed of a binary particle-mixture, *Kagaku Kogaku Ronbunshu* **16**, No. 2 (1990), Japan.

Yoon, S.-H., Murase, T., Iritani, E., Suzuki, T., Nakanomori, S., and Shirato, M. **172** Filtration with different kinds of diatomaceous precoating, *Kagaku Kogaku Ronbunshu* **16**, No. 2 (1990), Japan/Republic of Korea.

Yoon, D.Y., Choi, C.K., and Yoo, J.S. **181** Analysis of thermal instability in a horizontal, porous layer heated from below, *Hwahak Konghak* **26**, No. 6 (1988), Republic of Korea.

Gawdzik, A. and Rakowski, L. **192** Analysis of the dynamic-properties of an adiabatic, tubular, switch-flow reactor, *Inzynieria Chemiczna i Procesowa* **10**, No. 2 (1989), Poland.

201 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 32, No. 2, April 1992

Al-Saggaf, A. and Mewes, D. **209** Thermal coupling of chemical stirred-tank reactors with other plant-components. Part 1, *VDI Forschungsheft* **655** (1989), Federal Republic of Germany.

Al-Saggaf, A. and Mewes, D. **239** Thermal coupling of chemical stirred-tank reactors with other plant-components. Part 2, *Forschung im Ingenieurwesen* **56**, No. 2 (1990), Federal Republic of Germany.

Badescu, V. **265** Direct and diffuse solar-radiation exergy at the the earth's surface, *Entropie* **24**, No. 145 (1988), France/Romania.

Mazet, N. **271** Modeling of gas-solid reactions. 1. Nonporous solids, *Entropie* **25**, No. 150 (1989) France.

Brito Alayon, A., Gonzalez-Mendoza, L.A., Arvelo Alvarez, R., and Alvarez Diaz, M. **285** A study, using a modified grain-model, of the influence of the concentration of oxygen and the rate of flow of gas on the regeneration of catalysts in fixed-bed reactors, *Anales de Quimica, Seria A, Quimica, Fisica e Ingenieria Quimica* **86**, No. 6 (1990), Spain.

Costa Novella, E., Ovejero Escudro, G., Uguina Zamorano, M.A., and Lopez Gomez, C. **292** Mass transfer in liquids. Determination of effective, specific interfacial areas for packing, *Anales de Quimica, Seria A, Quimica, Fisica e Ingenieria Quimica* **85**, No. 1 (1989), Spain.

Fumizawa, M., Hishida, M., and Kunugi, T. **302** Numerical study on a laminar round jet of a high-density gas discharging into stagnant air, *Nippon Genshiryuoku Gakkaishi* **32**, No. 3 (1990), Japan.

Sadakata, M., Yamaguchi, A., Sakai, T., and Zhao, D. **313** Experimental study of a sealing law for a combustion system using a free-jet cold model, *Kagaku Kogaku Ronbunshu* **16**, No. 2 (1990), Japan.

Sekiguchi, H., Kanzawa, A., and Honda, T. **321** Numerical analyses of the thermal-plasma synthesis of NO and the thermal-plasma decomposition of CO_2, *Kagaku Kogaku Ronbunshu* **16**, No. 2 (1990), Japan.

Kishimoto, T. and Akagi, Y. **330** A fundamental study of the efficiency of methane fermentation by the ozonation of excess sludge, *Kagaku Kogaku Ronbunshu* **15**, No. 6 (1989), Japan.

Kuramae, M. and Ito, M. **336** The physical models of a heat pipe for analyzing dynamic heat-transfer characteristics, *Kagaku Kogaku Ronbunshu* **15**, No. 6 (1989), Japan.

Tomida, T. and Kubo, M. **345** Light transmission and effective light-absorption in dispersions of small bubbles, *Kagaku Kogaku Ronbunshu* **15**, No. 6 (1989), Japan.

Murase, T., Iritani, E., Chidphong, P., and Kano, K. **352** Periodic, dynamic filtration using a ceramic filter with a rotating cylinder, *Kagaku Kogaku Ronbunshu* **15**, No. 6 (1989), Japan.

Hashimoto, K., Miura, K., Masuda, T., Toma, M., Sawai, H., and Kawase, M. **360** Kinetic analysis of the growth of polycrystalline silicon from silane, using a rod-substrate CVD reactor, *Kagaku Kogaku Ronbunshu* **16**, No. 3 (1990), Japan.

Ko, J.W. and Yoon, E.S. **370** Efficient calculation of steady-state gain, using a simultaneous-convergence method, *Hwahak Konghak* **27**, No. 2 (1989), Republic of Korea.

Tabiš, R. **378** Iterative method for calculations on tubular reactors, *Inzynieria Chemiczna i Procesowa* **10**, No. 2 (1989), Poland.

384 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 32, No. 3, July 1992

Mazet, N. and Spinner, B. **395** Modeling of gas-solid reactions. 2. Porous solids, *Entropie* **25**, No. 150 (1989), France.

Flamant, G. and Bergeron, A. **409** Radiative contribution to heat transfer between a fluidized bed and a wall, *Entropie* **24**, No. 145 (1988), France.

Kessler, J. **421** New correlating equations for vertical pipes with heat transfer in superposed, free convection and forced, laminar flow, *Forschung im Ingenieurwesen* **55**, No. 3 (1989), Federal Republic of Germany.

Stein, W.A. **431** A new equation for heat and mass transfer in pipe flow. Part 1, *Forschung im Ingenieurwesen* **54**, No. 4 (1988), Federal Republic of Germany.

Stein, W.A. **439** A new equation for heat and mass transfer in pipe flow. Part 2, *Forschung im Ingenieurwesen* **54**, No. 5 (1988), Federal Republic of Germany.

Stein, W.A. **449** Mixing time in bubble columns and agitated vessels, *Aufbereitungs-Technik* **30**, No. 5 (1989), Federal Republic of Germany.

Kafarov, V.V. and Dorokhov, I.N. **475** Modeling and optimization of drying processes, *Itogi Nauki i Tekhniki, Protsessy i Apparaty Khimicheskoi Tekhnologii* **15** (1987), Soviet Union.

Martinez de la Cuesta, P.J. and Martinez, E.R. **526** Esterification of styrene with acetic acid in the presence of perchloric acid as a catalyst, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **85**, No. 3 (1989), Spain.

Cota Galan, J., Sosa Cayero, J., Martin Aguilar, A., and Rosello Segado, A. **531** Liquid-liquid equilibrium for the ethanol-water-pentane and ethanol-water-isopropyl nitrate systems, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **86**, No. 2 (1990), Spain.

Garcia-Ochoa Soria, F., Romero Salvador, A., and Santos Mazorra, V.E. **538** Comparison of methods for determining the kinetic parameters in complex reactions, *Anales de Quimica, Serie A, Quimica Fisica e Ingenieria Quimica* **86**, No. 6 (1990), Spain.

Masuoka, T., Iwatubo, T., Hongyo, S., and Mizoguchi, K. **552** Performance of a pervaporation membrane for separating mixtures of ethanol and water, prepared by plasma polymerization of an allylamine-hexafluoroethane system, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Genchi, Y., Yasuda, T., and Komiyama, H. **560** Gas-phase processes in the synthesis of diamonds by hot-filament CVD, *Kagaku Kogaku Ronbunshu* **16**, No. 3 (1990), Japan.

Izumoto, E., Fukuda, H., and Nakanishi, E. **570** Modeling of the batchwise interesterification of oil and fat in a microaqueous bioreactor taking into account changes in the concentration of water, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Hirata, A., Umezawa, H., Endou, E., and Hosaka, Y. **578** Biological treatment of wastewater from the washing of oil and chemical drums in a three-phase fluidized bed, *Kagaku Kogaku Ronbunshu* **16**, No. 5 (1990), Japan.

Myers, A.L., Belfort, G., and Suzuki, M. **585** Prediction of multicomponent adsorption-equilibrium. Discussions on energy of adsorption in relation to adsorption equilibrium, *Kagaku Kogaku* **50**, No. 3 (1986), Japan.

591 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 32, No. 4, October 1992

Blass, E., Meon, W., Rommel, W., and Löbmann, A. **601** Is hydrodynamic modeling a sound approach for the design of gravity settlers without coalescing aids? *Chemie-Ingenieur-Technik* **61**, No. 8 (1989), Federal Republic of Germany.

Bauer, B. **619** Thermodynamic evaluation of chemical reactions, illustrated for ammonia synthesis and hydrogen dissociation, *Chemie-Ingenieur-Technik* **61**, No. 11 (1989), Federal Republic of Germany.

Kaibel, G. **631** Energy integration in thermal process-engineering, *Chemie-Ingenieur-Technik* **62**, No. 2 (1990), Federal Republic of Germany.

Lucas, K. **642** What can statistical thermodynamics do for the chemical engineer? *Chemie-Ingenieur-Technik* **62**, No. 10 (1990), Federal Republic of Germany.

Jemni, A., Hafner, M., Jallut, C., and Lallemand, M. **651** Consistency test of energy balances of a solar-electrical heating system, *Entropie* **25**, No. 150 (1989), France.

Andrieu, J.P., Scrivener, O., and Reitzer, H. **658** Sedimentation of solid particles in pulsating flow-fields, *Entropie* **25**, NNo. 151 (1989), France.

de Balmann, H. and Sanchez, V. **665** Coupling between concentration polarization and blockage in ultrafiltration, *Entropie* **25**, No. 152 (1989), France.

Oger, L., Gauthier, C., Leroy, C., Hulin, J.P., and Guyon, E. **674** Heterogeneities and characteristic lengths in porous media, *Entropie* **25**, No. 152 (1989), France.

Trystram, G. and Vasseur, J. **689** The modeling and simulation of a drum-drying process, *Entropie* **25**, No. 152 (1989), France.

Gouré, J.-P. **706** Optical sensors: fiber-optic sensors, *Entropie* **26**, No. 155 (1990), France.

Douss, N. **718** An experimental study of solid adsorption heat-pump cycles, *Entropie* **26**, No. 156 (1990), France.

Salvador, A.R. and Calvo, E.G. **726** Kinetic analysis of nonisothermal decompositions of solids. Dehydration of zinc-acetate dihydrate, *Anales de Quimica, Seria A, Quimica, Fisica e Ingenieria Quimica* **85**, No. 3 (1989), Spain.

Garcia-Ochoa, F., Romero, A., and Rubio, S. **732** Adiabatic and partially insulated tubular reactors for exothermic reversible reactions, *Anales de Quimica, Seria A, Quimica, Fisica e Ingenieria Quimica* **86**, No. 6 (1990), Spain.

Kojima, T., Hiroha, H., Iwata, K., and Furusawa, T. **739** Production of polycrystalline silicon from monosilane in a fluidized-bed. Clogging, particle growth, and fines formation in an SiH_4-Ar system, *Kagaku Kogaku Ronbunshu* **16**, No. 3 (1990), Japan.

Okuyama, K., Ushio, R., Kousaka, Y., Seinfeld, J.H., and Flagan, R.C. **750** Evaluation of fine particle formation by CVD in a laminar-flow aerosol reactor, *Kagaku Kogaku Ronbunshu* **16**, No. 3 (1990), Japan.

Maruko, M. and Kusumoto, S. **759** Power consumption characteristics of a lattice-type, twin-shaft, high-viscosity agitator, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Kojima, T. and Morisawa, O. **767** Production of polycrystalline silicon from monosilane in a fluidized bed. Effects of the diluent gas on the conversion and on the properties of the product, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

776 Index of authors, Volume 32, Nos. 1, 2, 3, and 4 (1992).

780 Contents, Volume 32, Nos. 1, 2, 3, and 4 (1992).

786 International Schedule of Chemical Engineering Meetings.